## GOV.UK Vehicle MOT History

**BETA** This is a new service – your <u>feedback (http://www.smartsurvey.co.uk/s/mot-history)</u> will help us to improve it.

## Check the MOT history of a vehicle

Registration number: T280MLC

- Vehicle make PEUGEOT
- Vehicle model 306
- Date first used 1 March 1999
- Fuel type Petrol
- Colour Black

## MOT history of this vehicle

- Test date 6 February 2016
- Test Result Fail
- Odometer reading 142,178 miles
- MOT test number 6249 5821 9121
- Reason(s) for failure

nearside front Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings by sub frame (6.1.B.2) offside front Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings by sub frame (6.1.B.2) offside Steering rack gaiter split (2.2.D.2d) offside rear Shock absorber has an excessively worn bush (2.7.4) nearside Registration plate lamp not working (1.1.C.1d) offside Registration plate lamp not working (1.1.C.1d)

Advisory notice item(s)

Body has slight corrosion bulkhead (6.1.B.2)

- front Brake pad(s) wearing thin (3.5.1g)
- nearside front inner rack joint has slight play

offside Track rod end ball joint has slight play (2.2.B.1f)

- Test date 17 May 2014
- Expiry date 28 May 2015
- Test Result Pass
- Odometer reading 133,946 miles
- MOT test number 2787 4713 4140
- Advisory notice item(s) Nearside Front Tyre worn close to the legal limit (4.1.E.1)

Offside Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a) Oil leak

- Test date 13 May 2013
- Expiry date 28 May 2014
- Test Result Pass
- Odometer reading 124,465 miles
- MOT test number 3567 8313 3133
- Advisory notice item(s)

Offside Front Tyre worn close to the legal limit (4.1.E.1)

Parking brake: parking brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)

Oil leak

- Test date 29 May 2012
- Expiry date 28 May 2013
- Test Result Pass
- Odometer reading 115,700 miles
- MOT test number 8781 4045 2119
- Advisory notice item(s)

Front Lower Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

Front Lower Suspension arm rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)

Parking brake: parking brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)

Front & rear brake discs lightly corroded

- Test date 28 April 2011
- Expiry date 30 April 2012
- Test Result Pass
- Odometer reading 103,323 miles
- MOT test number 9060 1841 1183
- Advisory notice item(s)

Parking brake: parking brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)

- Test date 17 April 2010
- Test Result Fail
- Odometer reading 91,759 miles
- MOT test number 5248 9760 0120
- Reason(s) for failure

Offside Rear Brake cable has wires broken and is significantly weakened (3.5.1b)

• Test date 17 April 2010

- Expiry date 30 April 2011
- Test Result Pass
- Odometer reading 91,759 miles
- MOT test number 5516 9770 0161
- Test date 24 April 2009
- Expiry date 30 April 2010
- Test Result Pass
- Odometer reading 80,635 miles
- MOT test number 4917 1401 9114
- Advisory notice item(s)

Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a) Exhaust has a minor leak of exhaust gases (7.1.2)

Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) Nearside front brake juddering slightly (3.7.A.2b) Offside front brake juddering slightly (3.7.A.2b)

- Test date 24 April 2009
- Test Result Fail
- Odometer reading 80,635 miles
- MOT test number 2639 7471 9428
- Reason(s) for failure

Nearside Windscreen washer provides insufficient washer liquid (8.2.3) Offside Windscreen washer provides insufficient washer liquid (8.2.3) Nearside Front Brake hose excessively deteriorated (3.6.B.4d) Offside Front Brake hose excessively deteriorated (3.6.B.4d) Brake load sensing valve linkage seized (3.6.E.3)

Advisory notice item(s)

Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a) Exhaust has a minor leak of exhaust gases (7.1.2)

Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) Nearside front brake juddering slightly (3.7.A.2b)

- Offside front brake juddering slightly (3.7.A.2b)
- Test date 1 May 2008
- Expiry date 30 April 2009
- Test Result Pass
- Odometer reading 73,156 miles
- MOT test number 9806 3292 8120
- Test date 1 May 2008
- Test Result Fail
- Odometer reading 73,139 miles
- MOT test number 6437 8222 8110

• Reason(s) for failure

Offside Rear brake disc excessively pitted (3.5.1h) Nearside Rear brake disc excessively pitted (3.5.1h) Rear Brake load sensing valve linkage seized (3.6.E.3) Nearside Front Windscreen washer provides insufficient washer liquid (8.2.3)

- Advisory notice item(s)
  Nearside Rear Brake pad(s) wearing thin (3.5.1g)
  Offside Rear Brake pad(s) wearing thin (3.5.1g)
- Test date 12 January 2007
- Expiry date 11 January 2008
- Test Result Pass
- Odometer reading 66,239 miles
- MOT test number 1045 0281 7444
- Test date 12 January 2007
- Test Result Fail
- Odometer reading 66,239 miles
- MOT test number 1610 1261 7045
- Reason(s) for failure Nearside Inner Front brake disc in such a condition that it is seriously weakened (3.5.1i)
  - Offside Inner Front brake disc in such a condition that it is seriously weakened (3.5.1i)
- Advisory notice item(s)

Offside Front Brake pad(s) wearing thin (3.5.1g) Nearside Rear Brake pad(s) wearing thin (3.5.1g) Offside Rear Brake pad(s) wearing thin (3.5.1g) Nearside Front front brake juddering slightly (3.7.A.2b) Offside Front front brake juddering slightly (3.7.A.2b)

- Test date 24 April 2006
- Expiry date 23 April 2007
- Test Result Pass
- Odometer reading 61,509 miles
- MOT test number 9123 5461 6164

## Search again (/)